

# 2009 DATA TABLES

The Corporate Responsibility Data Tables are an indicator supplement to the Kinross 2009 Corporate Responsibility Report. Prepared in accordance with the Global Reporting Initiative G3 guidelines, the Data Tables consist of a summary of corporate and regional performance. Site specific information is reported for the fiscal years ended December 31 for 2008 and 2009 and, where available, includes 2005, 2006 and 2007 performance data.

In this report, performance is reported based on Kinross' share of ownership except for indicators pertaining to tonnes of ore processed, gold production, safety performance and land use which are all reported on a 100% basis. Data for environmental indicators is reported on a 75% basis for Kupol, 50% for Round Mountain, and 50% for Crixás, which is operated by Anglo Gold Ashanti and which Kinross is including in this report for the first time. Frequency rates in all safety data are per 200,000 hours worked.

As a result of ongoing efforts to improve reporting, some minor changes to previously reported values have been made. These are largely the result of better reporting from the operating sites, as well as the implementation of standardized reporting protocols.

To learn more about our past performance, see the 2007 Kinross Corporate Responsibility Report on our web site at [www.kinross.com](http://www.kinross.com).

## PERFORMANCE SUMMARY – CORPORATE

	2009	2008	2007	2006	2005
Ore Processed (Tonnes) <sup>1</sup>	<b>103,423,000</b>	92,734,000	82,831,000	89,756,000	97,941,000
Attributable <sup>2</sup> Gold Production (Gold equivalent ounces)	<b>2,238,665</b>	1,838,038	1,589,321	1,476,329	1,608,805

### Safety

Fatalities (Number)	<b>2</b>	2	0	0	0
Lost-time Injury Frequency Rate	<b>0.18</b>	0.69	0.62	0.45	0.53
Restricted Work Activity Frequency Rate	<b>0.17</b>	0.42	0.10	0.43	0.62
Medical Treatment Frequency Rate	<b>0.71</b>	0.65	0.64	0.66	0.84

### Environmental

#### General (100% basis)

Number of Regulatory Actions	<b>8</b>	2	3	0	0
Fines Paid (US\$)	<b>149,850</b>	840	27,919	0	0
Number of Reportable Releases	<b>2</b>	0	3	1	1

<sup>1</sup> Represents 100% basis of tonnes of ore processed.

<sup>2</sup> "Attributable" includes Kinross' share of Kupol production (75%) only.

n/r = not reported

## PERFORMANCE SUMMARY – CORPORATE

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules	<b>9,240,000</b>	7,476,000	5,810,000	5,387,000	5,302,000
Direct Energy Consumption in Gigajoules	<b>4,921,000</b>	4,591,000	3,303,000	2,855,000	2,845,000
Indirect Energy Consumed in Gigajoules	<b>4,319,000</b>	2,884,000	2,507,000	2,533,000	2,457,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)	<b>99</b>	102	90	79	79
Greenhouse Gas Emissions (Tonnes)	<b>798,000</b>	684,000	547,000	521,000	505,000
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)	<b>8.5</b>	9.3	8.5	7.7	7.5
<b>Water Use<sup>3</sup></b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )	<b>9,373,000</b>	9,043,000	8,218,000	6,615,000	6,055,000
Total Water Withdrawn – Surface Water (m <sup>3</sup> )	<b>12,940,000</b>	9,837,000	17,162,000	3,823,000	4,324,000
Total Precipitation Captured (m <sup>3</sup> )	<b>16,219,000</b>	10,383,000	11,378,000	11,582,000	14,765,000
Total Water Consumed in Ore Processing (m <sup>3</sup> )	<b>32,714,000</b>	23,899,000	20,781,000	15,192,000	15,699,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)	<b>352</b>	325	315	215	223
Total Water Discharged – Groundwater (m <sup>3</sup> )	<b>1,179,000</b>	1,235,000	890,000	951,000	634,000
Total Water Discharged – Surface Water (m <sup>3</sup> )	<b>1,132,000</b>	1,011,000	939,000	1,353,000	1,291,000
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )	<b>122,100</b>	118,800	87,100	75,400	74,800
Cyanide (Tonnes as CN)	<b>8,050</b>	7,288	6,130	5,780	–
Lime (Tonnes)	<b>54,072</b>	72,815	79,854	88,264	–
Blasting Agents (Tonnes)	<b>34,047</b>	30,799	22,467	22,837	–
<b>Wastes</b>					
Waste Rock Mined (Tonnes)	<b>83,081,000</b>	76,178,000	83,420,000	88,552,000	79,057,000
Tailings Produced (Tonnes)	<b>60,241,000</b>	40,464,000	35,186,000	35,644,000	34,794,000
Hazardous Waste Disposed Onsite (Tonnes)	<b>654,419</b>	298,738	251,889	276,417	279,983
Hazardous Waste Disposed Offsite (Tonnes)	<b>306</b>	369	133	69	55
Non-hazardous Waste Disposed Onsite (Tonnes)	<b>5,520</b>	6,034	4,639	3,644	1,207
Non-hazardous Waste Disposed Offsite (Tonnes)	<b>1,566</b>	447	239	188	145
<b>Land Status (100% basis)<sup>4</sup></b>					
New Reclamation (hectares)	<b>170</b>	75	105	29	40
Previously Reclaimed (hectares)	<b>2,271</b>	2,196	2,226	1,319	1,271
New Disturbance (hectares)	<b>680</b>	474	1,070	252	790
Previously Disturbed and Unreclaimed (hectares)	<b>6,117</b>	5,814	4,576	5,098	4,454
Protected Habitat (hectares)	<b>3,670</b>	1,761	1,761	784	569

<sup>3</sup> Because of the remote location of most operations municipal water use is minimal and not reported.

<sup>4</sup> Includes current operations and closed sites.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL INFORMATION – USA OPERATIONS

Operations	2009	2008	2007	2006	2005
<b>Fort Knox</b>					
Mining Method: Open Pit					
Processing Method: Carbon-in-pulp (CIP), gravity, heap leach					
Employees	484	421	390	390	420
Contractors	0	112	39	25	22
Ore Processed (Tonnes) <sup>5</sup>	16,224,000	13,769,000	12,722,000	13,462,000	13,050,000
Gold Production (Gold equivalent ounces)	263,260	329,105	338,459	333,383	329,320
<b>Round Mountain</b>					
Mining Method: Open Pit					
Processing Method: Heap leach, carbon-in-leach (CIL), gravity					
Employees	731	705	708	677	658
Contractors	0	88	45	56	40
Ore Processed (Tonnes) <sup>6</sup>	30,035,000	37,368,000	36,990,000	43,436,000	61,696,000
Gold Production (Gold equivalent ounces)	213,916	246,946	302,971	335,115	373,947
<b>Kettle River-Buckhorn</b>					
Mining Method: Underground					
Processing Method: Carbon-in-leach					
Employees	195	134	99	53	52
Contractors	98	80	89	26	0
Ore Processed (Tonnes) <sup>7</sup>	282,000	77,000	0	0	n/r
Gold Production (Gold equivalent ounces)	173,555	27,036	0	0	68,146
<b>Safety</b>					
Fatalities (Number)					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	0	0	0
Lost-time Injury Frequency Rate					
Fort Knox	0.28	0.17	0.00	1.47	0.20
Round Mountain	0.00	0.49	0.25	0.12	0.00
Kettle River	0.32	1.04	1.19	1.70	0.00
Restricted Work Activity Frequency Rate					
Fort Knox	1.52	0.68	0.68	2.10	1.84
Round Mountain	0.12	0.49	0.37	0.00	0.27
Kettle River	0.00	0.00	0.00	0.00	0.00
Medical Treatment Frequency Rate					
Fort Knox	0.28	0.34	0.90	2.10	1.02
Round Mountain	0.99	0.49	1.23	0.37	1.23
Kettle River	0.00	0.52	0.00	0.00	0.00

5, 6, 7 Represents 100% basis of tonnes of ore processed.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL INFORMATION – USA OPERATIONS

<b>Environmental</b>	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	4	1	1	0	0
Other	2	1	0	0	0
Fines Paid (US\$)					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	40,000	840	0	0	0
Other	35,000 <sup>8</sup>	0	0	0	0
Number of Reportable Releases					
Fort Knox	0	0	0	0	0
Round Mountain	0	0	0	0	0
Kettle River	0	0	1	0	0
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Fort Knox	2,223,000	2,216,000	1,925,000	1,941,000	1,970,000
Round Mountain	1,205,000	1,193,000	1,189,000	1,115,000	1,085,000
Kettle River	286,000	128,000	48,500	35,400	136,000
Direct Energy Consumption in Gigajoules					
Fort Knox	1,334,000	1,301,000	1,019,000	993,000	1,050,000
Round Mountain	929,000	892,000	879,000	808,000	782,000
Kettle River	168,000	81,800	15,600	6,600	34,400
Indirect Energy Consumed in Gigajoules					
Fort Knox	889,000	914,000	906,000	948,000	921,000
Round Mountain	276,000	301,000	309,000	307,000	304,000
Kettle River	118,000	46,300	32,900	28,800	102,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Fort Knox	137	161	151	144	151
Round Mountain	80	64	64	51	35
Kettle River	1,014	1,660	–	–	302
Greenhouse Gas Emissions (Tonnes)					
Fort Knox	237,000	239,000	217,000	221,000	220,000
Round Mountain	101,000	102,000	102,000	96,100	92,900
Kettle River	25,800	11,300	5,100	3,900	14,600
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Fort Knox	14.6	17.4	17.0	16.4	16.9
Round Mountain	6.7	5.4	5.5	4.4	3.0
Kettle River	91.6	146.3	–	–	32.6

<sup>8</sup> Fine received at closed operation DeLamar, see Responsibility Report for detail.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL INFORMATION – USA OPERATIONS

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Water Use</b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )					
Fort Knox	<b>1,872,000</b>	1,465,000	1,890,000	2,188,000	1,169,000
Round Mountain	<b>3,067,000</b>	3,497,000	3,882,000	3,454,000	3,810,000
Kettle River	<b>169,000</b>	150,000	7,500	10,900	65,400
Total Water Withdrawn – Surface Water (m <sup>3</sup> )					
Fort Knox	<b>1,644,000</b>	1,008,000	1,316,000	1,192,000	1,348,000
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>0</b>	0	0	0	0
Total Precipitation Captured (m <sup>3</sup> )					
Fort Knox	<b>1,253,000</b>	613,000	528,000	506,000	337,000
Round Mountain	<b>77,000</b>	59,000	n/r	n/r	n/r
Kettle River	<b>91,000</b>	106,000	56,000	97,000	82,000
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Fort Knox	<b>1,721,000</b>	1,008,000	1,192,000	1,823,000	1,686,000
Round Mountain	<b>1,677,000</b>	1,393,000	1,336,000	2,150,000	2,855,000
Kettle River	<b>154,000</b>	127,000	0	0	51,400
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Fort Knox	<b>106</b>	73	94	135	129
Round Mountain	<b>112</b>	75	72	99	93
Kettle River	<b>547</b>	1,648	–	–	114
Total Water Discharged – Groundwater (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>641,000</b>	737,000	688,000	749,000	432,000
Kettle River	<b>129,000</b>	89,000	0	0	0
Total Water Discharged – Surface Water (m <sup>3</sup> )					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>0</b>	22,500	0	0	0

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – USA

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Fort Knox	13	0	12	21	4
Round Mountain	0	0	0	0	0
Kettle River	24	7	23	0	0
Closed Operations	8	37	70	8	36
Previously Reclaimed (hectares)					
Fort Knox	37	37	25	4	0
Round Mountain	217	217	253	280	280
Kettle River	42	35	12	12	4
Closed Operations	1,138	1,101	1,031	1,023	987
New Disturbance (hectares)					
Fort Knox	135	125	52	48	771
Round Mountain	0	1	1	108	0
Kettle River	7	50	2	2	0
Closed Operations	0	0	0	0	0
Previously Disturbed (hectares)					
Fort Knox	1,328	1,216	1,164	1,128	378
Round Mountain	2,036	2,035	1,790	1,547	1,655
Kettle River	101	76	81	102	110
Closed Operations	76	84	121	191	199
Protected Habitat (hectares)					
Kettle River	212	212	212	212	0
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Fort Knox	36,400	35,500	27,800	27,100	28,600
Round Mountain	24,300	22,900	22,700	20,900	20,200
Kettle River	3,200	1,500	400	200	900
Cyanide (Tonnes as CN)					
Fort Knox	541	373	334	373	372
Round Mountain	1,914	1,621	1,890	1,811	917
Kettle River	534	43	0	0	n/r
Lime (Tonnes)					
Fort Knox	2,914	146	3,408	2,918	2,727
Round Mountain	19,201	20,427	30,194	32,197	0
Kettle River	515	124	0	0	n/r
Blasting Agents (Tonnes)					
Fort Knox	8,950	9,626	7,902	8,490	530
Round Mountain	5,555	6,876	5,720	5,188	243
Kettle River	663	238	210	0	n/r

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – USA

<b>Environmental</b> (continued)	2009	2008	2007	2006	2005
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Fort Knox	<b>36,200</b>	14,551,000	21,700,000	31,751,000	40,061,000
Round Mountain	<b>20,040,000</b>	20,658,000	23,717,000	19,014,000	5,807,000
Kettle River	<b>255,000</b>	143,000	406	0	37,100
Tailings Produced (Tonnes)					
Fort Knox	<b>12,830,000</b>	12,191,000	12,275,000	13,348,000	12,940,000
Round Mountain	<b>1,701,000</b>	1,774,000	1,774,000	1,672,000	1,689,000
Kettle River	<b>282,000</b>	78,700	0	0	252,000
Hazardous Waste Disposed Onsite (Tonnes)					
Fort Knox	<b>0</b>	0	0	0	0
Round Mountain	<b>0</b>	0	0	0	0
Kettle River	<b>0</b>	0	0	0	0
Hazardous Waste Disposed Offsite (Tonnes)					
Fort Knox	<b>4.9</b>	1.5	2.3	0.1	2.9
Round Mountain	<b>7.7</b>	9.7	7.0	7.8	6.0
Kettle River	<b>4.1</b>	2.8	0.3	0.3	0.3
Non-hazardous Waste Disposed Onsite (Tonnes)					
Fort Knox	<b>33.6</b>	23.1	25.3	4.1	27.3
Round Mountain	<b>857.5</b>	204.0	217.3	215.8	183.0
Kettle River	<b>0</b>	0	0	0	0
Non-hazardous Waste Disposed Offsite (Tonnes)					
Fort Knox	<b>108.0</b>	31.3	64.2	26.3	37.7
Round Mountain	<b>0.5</b>	11.7	12.6	11.3	10.0
Kettle River	<b>263.0</b>	165.0	n/r	n/r	n/r

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

### Operations

#### Paracatu (Brazil)

Mining Method: Open Pit

Processing Method: Flotation, carbon-in-leach, gravity

Employees	<b>827</b>	673	603	615	543
Contractors	<b>434</b>	1,351	3,284	654	523
Ore Processed (Tonnes) <sup>9</sup>	<b>39,744,000</b>	20,307,000	19,285,000	18,137,000	16,945,000
Gold Production (Gold equivalent ounces)	<b>354,396</b>	188,156	174,987	174,254	180,522

#### Crixás (Brazil) 50% owned

Mining Method: Underground

Processing Method: Gravity, Merrill-Crowe

Employees	<b>904</b>	n/r	n/r	n/r	n/r
Contractors	<b>502</b>	n/r	n/r	n/r	n/r
Ore Processed (Tonnes) <sup>10</sup>	<b>1,036,000</b>	n/r	n/r	n/r	n/r
Gold Production (Gold equivalent ounces)	<b>74,654</b>	n/r	n/r	n/r	n/r

9, 10 Represents 100% basis of tonnes of ore processed.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

Operations (continued)	2009	2008	2007	2006	2005
<b>Maricunga (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Heap leach					
Employees	452	431	406	398	418
Contractors	922	425	537	454	720
Ore Processed (Tonnes) <sup>11</sup>	15,613,000	15,027,000	13,691,000	14,721,000	5,800,000
Gold Production (Gold equivalent ounces)	233,585	221,882	205,750	116,868	30,580
<b>La Coipa (Chile)</b>					
Mining Method: Open Pit					
Processing Method: Mill, Merrill-Crowe					
Employees	402	424	n/r	n/r	n/r
Contractors	564	548	n/r	n/r	n/r
Ore Processed (Tonnes) <sup>12</sup>	4,907,000	4,918,427	3,546,000	5,126,000	6,496,000
Gold Production (Gold equivalent ounces)	231,169	226,293	197,554	155,180	125,991

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

### Safety

Fatalities (Number)					
Paracatu	0	0	0	0	0
Crixás	0	1	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
Fruta Del Norte	0	–	–	–	–
Lobo-Marte	0	–	–	–	–
Lost-time Injury Frequency Rate					
Paracatu	0.07	0.50	0.31	0.07	0.31
Crixás	0.14	n/r	n/r	n/r	n/r
Maricunga	0.26	1.53	1.50	0.75	0.86
La Coipa	0.43	0.59	n/r	n/r	n/r
Fruta Del Norte	0.00	–	–	–	–
Lobo-Marte	0.00	–	–	–	–
Restricted Work Activity Frequency Rate					
Paracatu	0.00	0.71	0.03	0.07	0.00
Crixás	0.00	n/r	n/r	n/r	n/r
Maricunga	0.00	0.00	0.00	0.00	0.00
La Coipa	0.00	0.00	n/r	n/r	n/r
Fruta Del Norte	0.41	–	–	–	–
Lobo-Marte	0.00	–	–	–	–
Medical Treatment Frequency Rate					
Paracatu	0.72	0.41	0.49	0.29	0.69
Crixás	1.58	n/r	n/r	n/r	n/r
Maricunga	0.00	0.19	0.35	0.75	0.17
La Coipa	0.32	0.49	n/r	n/r	n/r
Fruta Del Norte	0.81	–	–	–	–
Lobo-Marte	0.00	–	–	–	–

11, 12 Represents 100% basis of tonnes of ore processed.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

<b>Environmental</b>	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>General (100% basis)</b>					
Number of Regulatory Actions					
Paracatu	1	0	0	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	1	0	0
Other	1	0	0	0	0
Fines Paid					
Paracatu	74,850	0	0	0	0
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	22,800	0	0
Number of Reportable Releases					
Paracatu	0	0	0	0	1
Crixás	0	0	0	0	0
Maricunga	0	0	0	0	0
La Coipa	0	0	0	0	0
<b>Energy/Greenhouse Gas</b>					
Total Energy Consumption in Gigajoules					
Paracatu	2,802,000	1,183,000	1,081,000	1,044,000	1,026,000
Crixás	84,200	68,800	n/r	n/r	n/r
Maricunga	981,000	852,000	748,000	750,000	531,000
La Coipa	978,000	947,000	504,000	537,000	553,000
Direct Energy Consumption in Gigajoules					
Paracatu	575,000	385,000	330,000	323,000	313,000
Crixás	84,100	68,700	n/r	n/r	n/r
Maricunga	687,000	563,000	468,000	475,000	406,000
La Coipa	463,000	412,000	242,000	256,000	260,000
Indirect Energy Consumed in Gigajoules					
Paracatu	2,227,000	799,000	751,000	721,000	712,000
Crixás	134	111	n/r	n/r	n/r
Maricunga	294,000	289,000	279,000	275,000	126,000
La Coipa	515,000	535,000	262,000	281,000	293,000
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)					
Paracatu	70	58	56	58	61
Crixás	163	341	n/r	n/r	n/r
Maricunga	63	57	55	51	92
La Coipa	199	193	284	210	170
Greenhouse Gas Emissions (Tonnes)					
Paracatu	188,000	82,900	79,400	76,700	75,300
Crixás	4,800	4,000	n/r	n/r	n/r
Maricunga	89,300	79,400	70,800	70,500	45,400
La Coipa	102,000	100,000	52,100	55,900	57,300
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)					
Paracatu	4.7	4.1	4.1	4.2	4.4
Crixás	9.3	19.7	n/r	n/r	n/r
Maricunga	5.7	5.3	5.2	4.8	7.8
La Coipa	20.7	20.4	29.4	21.8	17.6

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Water Use</b>					
Total Water Withdrawn – Groundwater (m <sup>3</sup> )					
Paracatu	<b>29,300</b>	32,600	32,600	32,600	32,600
Crixás	<b>29,500</b>	n/r	n/r	n/r	n/r
Maricunga	<b>2,216,000</b>	2,007,000	1,628,000	37,500	0
La Coipa	<b>2,002,000</b>	1,785,000	779,000	892,000	977,000
Total Water Withdrawn – Surface Water (m <sup>3</sup> )					
Paracatu	<b>11,067,000</b>	8,503,000	15,846,000	2,631,000	2,975,000
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Total Precipitation Collected (m <sup>3</sup> )					
Paracatu	<b>14,310,000</b>	9,201,000	10,794,000	10,979,000	14,356,000
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>n/r</b>	n/r	n/r	n/r	n/r
La Coipa	<b>n/r</b>	n/r	n/r	n/r	n/r
Total Water Consumed in Ore Processing (m <sup>3</sup> )					
Paracatu	<b>25,377,000</b>	17,704,000	15,846,000	8,981,000	9,518,000
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>2,174,000</b>	2,201,000	1,870,000	1,555,000	821,000
La Coipa	<b>988,000</b>	1,326,000	537,000	683,000	767,000
Water Consumed per Tonne of Ore Processed (Litres/Tonne)					
Paracatu	<b>639</b>	872	822	495	562
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>139</b>	146	137	106	142
La Coipa	<b>201</b>	270	303	266	236
Total Water Discharged – Groundwater (m <sup>3</sup> )					
Paracatu	<b>0</b>	0	0	0	0
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>408,000</b>	409,000	202,000	202,000	202,000
Total Water Discharged – Surface Water (m <sup>3</sup> )					
Paracatu	<b>1,051,000</b>	965,000	901,000	1,353,000	1,291,000
Crixás	<b>79,400</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Land Status (100% basis)</b>					
New Reclamation (hectares)					
Paracatu	<b>113</b>	25	142	0	0
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Previously Reclaimed (hectares)					
Paracatu	<b>167</b>	142	0	0	0
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
New Disturbance (hectares)					
Paracatu	<b>345</b>	277	84	74	0
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>11</b>	0	0	0	0
La Coipa	<b>21</b>	21	24	20	19
Previously Disturbed (hectares)					
Paracatu	<b>1,448</b>	1,284	1,225	1,293	1,293
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>735</b>	735	735	735	735
La Coipa	<b>167</b>	147	122	103	84
Protected Habitat (hectares)					
Paracatu	<b>3,428</b>	1,519	1,519	542	542
Maricunga	<b>27</b>	27	27	27	27
La Coipa	<b>3</b>	3	3	3	0
<b>Significant Materials Use</b>					
Diesel Fuel (m <sup>3</sup> )					
Paracatu	<b>9,000</b>	9,000	9,000	8,800	8,500
Crixás	<b>1,700</b>	1,500	n/r	n/r	n/r
Maricunga	<b>17,000</b>	13,700	11,100	11,500	9,600
La Coipa	<b>12,500</b>	11,100	6,500	6,900	7,000
Cyanide (Tonnes as CN)					
Paracatu	<b>590</b>	251	280	370	410
Crixás	<b>164</b>	n/r	n/r	n/r	n/r
Maricunga	<b>2,460</b>	2,967	2,563	2,225	746
La Coipa	<b>1,307</b>	1,697	4,815	7,494	8,092
Lime (Tonnes)					
Paracatu	<b>5,800</b>	2,492	1,718	1,427	n/r
Crixás	<b>473</b>	n/r	n/r	n/r	n/r
Maricunga	<b>2,435</b>	32,380	39,719	44,230	6,676
La Coipa	<b>12,698</b>	11,113	4,815	7,494	8,092
Blasting Agents (Tonnes)					
Paracatu	<b>5,992</b>	897	38	88	0
Crixás	<b>635</b>	n/r	n/r	n/r	n/r
Maricunga	<b>6,546</b>	8,295	6,265	5,998	3,792
La Coipa	<b>3,593</b>	3,370	1,232	3,073	n/r

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>	<b>2006</b>	<b>2005</b>
<b>Wastes</b>					
Waste Rock Mined (Tonnes)					
Paracatu	<b>2,290,000</b>	160,000	0	0	0
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>10,988,000</b>	10,793,000	10,750,000	11,154,000	4,661,000
La Coipa	<b>10,434,000</b>	7,889,000	5,457,000	8,771,000	11,826,000
Tailings Produced (Tonnes)					
Paracatu	<b>39,090,000</b>	20,917,000	19,033,000	17,861,000	16,665,000
Crixás	<b>497,000</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>4,984,000</b>	5,047,000	2,103,000	2,763,000	3,248,000
Hazardous Waste Disposed Onsite (Tonnes)					
Paracatu	<b>654,419</b>	298,738	251,889	276,417	279,983
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0
Hazardous Waste Disposed Offsite (Tonnes)					
Paracatu	<b>222.1</b>	131.8	26.2	30.3	25.7
Crixás	<b>0</b>	n/r	n/r	n/r	n/r
Maricunga	<b>39</b>	79	15	12	0
La Coipa	<b>149</b>	142.6	18.2	18.9	20.2
Non-hazardous Waste Disposed Onsite (Tonnes)					
Paracatu	<b>892</b>	1,427	1,574	1,537	997
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>2,248</b>	3,308	2,672	1,727	n/r
La Coipa	<b>533</b>	490	150	160	n/r
Non-hazardous Waste Disposed Offsite (Tonnes)					
Paracatu	<b>1,186</b>	239	162	150	98
Crixás	<b>n/r</b>	n/r	n/r	n/r	n/r
Maricunga	<b>0</b>	0	0	0	0
La Coipa	<b>0</b>	0	0	0	0

n/r = not reported

# 2009 DATA TABLES

## REGIONAL INFORMATION – RUSSIAN OPERATIONS

Operations	2009	2008	2007
<b>Kupol</b>			
Mining Method: Open Pit and Underground			
Processing Method: Merrill-Crowe			
Employees	1,023	988	555
Contractors	268	283	477
Ore Processed (Tonnes) <sup>13</sup>	1,144,000	618,000	0
Gold Production (Gold equivalent ounces)	925,507	626,543	0

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

Safety			
Fatalities (Number)			
Kupol	2	1	0
Lost-time Injury Frequency Rate			
Kupol	0.28	0.74	1.27
Restricted Work Activity Frequency Rate			
Kupol	0.21	0.17	0.00
Medical Treatment Frequency Rate			
Kupol	0.63	0.50	0.68

## Environmental

### General (100% basis)

Number of Regulatory Actions			
Kupol	0	0	1
Fines Paid (US\$)			
Kupol	0	0	1,090
Other	0	0	4,029
Reportable Releases (m <sup>3</sup> )			
Kupol	2	0	0
Other	0	0	1

### Energy/Greenhouse Gas

Total Energy Consumption in Gigajoules			
Kupol	682,000	888,000	362,000
Direct Energy Consumption in Gigajoules			
Kupol	682,000	888,000	362,000
Indirect Energy Consumed in Gigajoules			
Kupol	0	0	0
Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)			
Kupol	596	1,369	–
Greenhouse Gas Emissions (Tonnes)			
Kupol	50,100	65,200	26,600
Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)			
Kupol	43.8	100.5	–

<sup>13</sup> Represents 100% basis of tonnes of ore processed.

n/r = not reported

# 2009 DATA TABLES

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

<b>Environmental</b> (continued)	<b>2009</b>	<b>2008</b>	<b>2007</b>
<b>Water Use</b>			
Total Water Withdrawn – Groundwater (m <sup>3</sup> )			
Kupol	<b>17,800</b>	107,000	37,500
Total Water Withdrawn – Surface Water (m <sup>3</sup> )			
Kupol	<b>230,000</b>	327,000	54,900
Total Precipitation Collected (m <sup>3</sup> )			
Kupol	<b>488,000</b>	403,000	0
Total Water Consumed in Ore Processing (m <sup>3</sup> )			
Kupol	<b>623,000</b>	140,000	0
Water Consumed per Tonne of Ore Processed (Litres/Tonne)			
Kupol	<b>545</b>	216	–
Total Water Discharged – Groundwater (m <sup>3</sup> )			
Kupol	<b>0</b>	0	0
Total Water Discharged – Surface Water (m <sup>3</sup> )			
Kupol	<b>1,800</b>	23,300	37,600
<b>Land Status (100% basis)</b>			
New Reclamation (hectares)			
Kupol	<b>11</b>	7	663
Previously Reclaimed (hectares)			
Kupol	<b>670</b>	663	0
New Disturbance (hectares)			
Kupol	<b>162</b>	0	907
Previously Disturbed (hectares)			
Kupol	<b>226</b>	237	0
<b>Significant Materials Use</b>			
Diesel Fuel (m <sup>3</sup> )			
Kupol	<b>18,000</b>	23,600	9,600
Cyanide (Tonnes as CN)			
Kupol	<b>540</b>	336	0
Lime (Tonnes)			
Kupol	<b>10,037</b>	6,134	0
Blasting Agents (Tonnes)			
Kupol	<b>2,626</b>	1,827	1,338
<b>Wastes</b>			
Waste Rock Mined (Tonnes)			
Kupol	<b>2,237,000</b>	1,227,000	2,762,000
Tailings Produced (Tonnes)			
Kupol	<b>858,000</b>	486,000	0
Hazardous Waste Disposed Onsite (Tonnes)			
Kupol	<b>0</b>	0	0
Hazardous Waste Disposed Offsite (Tonnes)			
Kupol	<b>28.5</b>	1.7	0
Non-hazardous Waste Disposed Onsite (Tonnes)			
Kupol	<b>956</b>	582	4,105
Non-hazardous Waste Disposed Offsite (Tonnes)			
Kupol	<b>0</b>	0	0

n/r = not reported